

Ron Brandt's Perm Mag Motor – Schematic Motor Controller 1
version of 4.

b. Apr. 4, 1920 d. Nov. 27, 2010 Forsyth, Rosebud County,
Montana, USA

BestEnergy.ws/thankyou - A very special thank you to Ron
Brandt for agreeing to allow me to open source this for a very
reasonable amount!

With due deference to Joseph Newman's 700% dynamometer
tested motor, this is about 500x more cost effective per net watt
out.

BestEnergy.ws/thank you – A very special thank you to Joseph
who turned down any amount because "they" would not agree to
manufacture it for the benefit of the world.

BestEnergy.ws/challenge – My challenge to you is what are you
going to do now with this information?

www.bestEnergy.ws Buster Anderson

cosmic common law copy write and patent protection

Buster Anderson June 1/2016

www.witts.ws Spokesman Timothy Thrapp




Figure 7. S11 ksc reon Layer

Table 1. Parts List By Component Values and Part Numbers

10

Designators	Quantity	Description	Rating	Tolerance	Manufact.	Part Number	Comp.
C21A,C21B,C21C	3 ✓	22 µF Electrolytic Cap	25 VDC				AL
C7	1 ✓	220 µF Electrolytic Cap	50 V				AL
C4,C5	2 ✓	330 µF Electrolytic Cap	250 V		Sprague	80D	AL
C2,C3	2	4.7 nF AC Cap	250 VAC		Rifa	PME 289 MA 4	970 M
C1	1	100 nF AC Cap	250 VAC		Rifa	PME 285 MB	100 M
C31A,C31B,C31C	3	0.1 µF Capacitor	250 V	5%	Wima	MKP 10 N	MPP-PPR12:
C6	1	1 µF Capacitor	250 V	10%	Wima	MKP 4	MPP
C11,C41	✓ 2.01	10 nF Capacitor	50 V	10%			Ceramic
C12,C14	✓ 2.01	100 nF Capacitor	50 V	10%			Ceramic
C22A,C22B,C22C	✓ 3	100 pF Capacitor	50 V	10%			Ceramic
Power Line Connector	1	3 pin Connector	0.200"		Phoenix	1729131	
Motor Output	1	4 pin Connector	0.200"		Phoenix	1729144	
Hall Switch Connector	1	5 pin Connector	0.150"		Phoenix	1727049	
D5,D6,D7,D8	4	50 V Diode	1 A		Motorola	1N4001	
D1,D2,D3,D4	4	600 V Diode	6 A		Motorola	MR758 ✓	
D21A,D21B,D21C	3	600 V Diode			Motorola	MR816 ✓ R _e	1N4937
D31A,D31B,D31C	3	Diode				Not Used	
D11A,D11B,D11C,D22A,D22B,D22C	6	30 V Schottky	1/2 A		Motorola	MSR030 ✓ R _e	1N5818
F1	1	10 A Fuse					
D15A,D15B,D15C,D16A,D16B,D16C	5	Green LED			GI	MV54124A	
D14	1	Red LED			GI	MV57124A	
IC11	1	Control IC			Motorola	MC33035	
IC22A,IC22B,IC22C	3	MTO			Motorola	MDC1000A	
Q31A,Q31B,Q31C,Q32A,Q32B,Q32C	6	N-ch Power MOSFET	70.247 AC		Motorola	MTW23N25E	
IC21A,IC21B,IC21C	3	Optocoupler			Motorola	MOC8102	
R12	1	10 kΩ Potentiometer			Bourns	81A1AB28A15	
R13	1	10 kΩ Potentiometer	trimpot		Bourns	3388P1 103	
R41	1	0.01 Ω Resistor	2.25 W	5%	Mills	MRP-2-NI	NLWW
R14,R15A,R15B,R15C,R16A,R16B,R16C	7	1 kΩ Resistor	1/4 W	5%			
R43	1	3 kΩ Resistor	1/4 W	5%			
R11	1	4.7 kΩ Resistor	1/4 W	5%			
R21A,R21B,R21C	3	4.7 Ω Resistor	1/6 W	5%			
R2	1	22 kΩ Resistor	2 W	10%			
R23A,R23B,R23C,R25A,R25B,R25C	6	22 Ω Resistor	1/4 W	5%			
R24A,R24B,R24C	3	100 Ω Resistor	1/4 W	5%			
R42,R44	2	750 Ω Resistor	1/4 W	5%			
R22A,R22B,R22C	3	820 Ω Resistor	1/4 W	5%			
S11,S12,S13,S14	3	SPDT Switch	submin	✓	NKK	#SS 12SDP2	
R1	1	5 Ω cold Thermistor		✓	Keystone	CL10	
T1	1	1.8 mH Transformer	10 A		Pulse Eng.	PE-96188	
T2	1	18 V Transformer	130 mA	✓	Stancor	SW336	
D23A,D23B,D23C,D24A,D24B,D24C	6	10 V Zener	1/4 W		Motorola	1N4897	

R45 100K
 R46 1 Meg
 200 Ω
 750 PF
 0.1 MFD
 15V 25 MFD
 2 33039
 1N5352 Zener
 15355B

Q31 Q32 = FUJI 2MB1300L-060
 L401 300A 600V
 1N5338A 5.1V 3W Z
 1N5821
 WIMA MKP 10 .22 1000V
 UC3710T UNITROD
 SPRAGUE 36D252F400D52B 2500 400V
 ASC 400V 2.0-2.4 MF
 94F5370

tu.



AN1101